Botanicanna
305 E Business Hwy 151
Suite A
Platteville, WI 53818
License #:
Confident ID: 2611SMIL1491.10653
Metrc Source ID:

SMITHERS

CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: IL-39805.1

1000mg Therapy Cream 4oz

External Batch ID: Batch: MJC2226
Sample ID: 2611SMIL1491.10653
Testing Type: Compliance
Sample Type: Lotion

Sample Collected: 11/04/2026
Received: 11/04/2026 10:52 PM
Published: 11/10/2026



RESULTS SUMMARY

Cannabinoid Profile: Tested	Microbial Contaminants: Pass	Residual Solvents: Pass	0.0% Total THC
Pesticides: Pass	Mycotoxins: Pass	Heavy Metals: Pass	0.97626% Total CBD
Foreign Matter: Not Tested	Moisture Analysis: Not Tested	Water Activity: Not Tested	0.97626% Total Cannabinoids
	Terpenes: Not Tested		NT Total Terpenes

Report Notes:

Landen Nickel
Lab Manager

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500

PJLA Testing
Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.

Botanicanna
305 E Business Hwy 151
Suite A
Platteville, WI 53818
License #:
Confident ID: 2611SMIL1491.10653
Metrc Source ID:

SMITHERS

CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: IL-39805.1

Cannabinoids

Tested

Sample Analysis

Sample Prep Date: 11/06/2026
Sample Analysis Date: 11/09/2026
Analyzed By: Agilent 1260 HPLC
SOP: SOP-CANN-001

Analyte	LOD (percent)	LOQ (percent)	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
CBC	0.019455	0.038911	ND	ND	ND	ND
CBCA	0.019455	0.038911	ND	ND	ND	ND
CBDV	0.019455	0.038911	ND	ND	ND	ND
CBDVA	0.019455	0.038911	ND	ND	ND	ND
CBD	0.019455	0.038911	0.97626	9.7626	1112.9	1112.9
CBDA	0.019455	0.038911	ND	ND	ND	ND
CBG	0.019455	0.038911	ND	ND	ND	ND
CBGA	0.019455	0.038911	ND	ND	ND	ND
CBN	0.019455	0.038911	ND	ND	ND	ND
Δ8-THC	0.019455	0.038911	ND	ND	ND	ND
Δ8-THCV	0	0	NT	NT	NT	NT
Δ9-THC	0.019455	0.038911	ND	ND	ND	ND
Δ9-THCV	0.019455	0.038911	ND	ND	ND	ND
THCVA	0.019455	0.038911	ND	ND	ND	ND
THCA	0.019455	0.038911	ND	ND	ND	ND

Cannabinoid Totals	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
Total THC	0	0	0	0
Total CBD	0.97626	9.7626	1112.9	1112.9
Total Cannabinoids	0.97626	9.7626	1112.9	1112.9

Total THC = THCa*0.877 + Δ9-THC
Total CBD = CBDa*0.877 + CBD
Total Cannabinoids = Sum of all analytes

Serving Weight: 114g;

Report Notes:

Landen Nickel
Lab Manager

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500

PJLA Testing
Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.

Botanicanna
305 E Business Hwy 151
Suite A
Platteville, WI 53818
License #:
Confident ID: 2611SMIL1491.10653
Metrc Source ID:

SMITHERS

CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: IL-39805.1

Pesticides

Pass

Sample Analysis

Sample Prep Date: 11/05/2026
Sample Analysis Date: 11/06/2026
Analyzed By: Agilent Ultivo LC-MS/MS
SOP: SOP_PEST_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Acetamiprid	3.47	6.94	ND	10	Flonicamid	8.68	17.4	ND	30
Aldicarb	6.94	13.9	ND	20	Imidacloprid	6.94	13.9	ND	20
Bifenthrin	6.94	13.9	ND	50	Kresoxim Methyl	3.47	6.94	ND	10
Carbaryl	6.94	13.9	ND	20	Metalaxyl	6.94	13.9	ND	20
Carbofuran	6.94	13.9	ND	100	Oxamyl	17.4	34.7	ND	50
Chlorantraniliprole	6.94	13.9	ND	20	Phosmet	6.94	13.9	ND	40
Chlorpyrifos	3.47	6.94	ND	10	Pyridaben	3.47	6.94	ND	10
Clofentezine	3.47	6.94	ND	10	Spiromesifen	3.47	6.94	ND	10
Diazinon	6.94	13.9	ND	50	Spirotetramat	3.47	6.94	ND	10
Ethoprophos	6.94	13.9	ND	20	Tebuconazole	13.9	27.8	ND	50
Etofenprox	3.47	6.94	ND	10	Thiamethoxam	6.94	13.9	ND	20
Etoxazole	3.47	6.94	ND	10	Trifloxystrobin	3.47	6.94	ND	10
Fenpyroximate	3.47	6.94	ND	15					

Mycotoxins

Pass

Sample Analysis

Sample Prep Date: 11/05/2026
Sample Analysis Date: 11/06/2026
Analyzed By: Agilent Ultivo LC-MS/MS
SOP: SOP_PEST_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Aflatoxin B1	4.58	13.9	ND	20
Aflatoxin B2	4.58	13.9	ND	20
Aflatoxin G1	4.58	13.9	ND	20
Aflatoxin G2	4.58	13.9	ND	20
Ochratoxin A	4.58	13.9	ND	20

Report Notes:

Landen Nickel
Lab Manager

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500

PJLA Testing
Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.

Botanicanna
305 E Business Hwy 151
Suite A
Platteville, WI 53818
License #:
Confident ID: 2611SMIL1491.10653
Metrc Source ID:

SMITHERS

CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: IL-39805.1

Heavy Metals

Pass

Sample Analysis

Sample Prep Date: 11/06/2026
Sample Analysis Date: 11/09/2026
Analyzed By: Agilent 7800 ICP-MS
SOP: SOP_HM_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Cadmium	29.3	88.3	ND	500
Mercury	2.93	8.83	ND	3000
Lead	29.3	88.3	ND	1000
Chromium	29.3	88.3	ND	2000
Arsenic	29.3	88.3	ND	1500

Microbial Impurities

Pass

Sample Analysis

Sample Prep Date: 11/05/2026
Sample Analysis Date: 11/08/2026
Analyzed By: 3M Petrifilm
SOP: SOP_MICRO_001

Analyte	Results (cfu/g)	Limit (cfu_g)
Total Aerobic Bacteria	ND	10000
Total Bile-Tolerant Gram-Negative Bacteria	ND	100
Total Coliforms	ND	100
Total Yeast & Mold	ND	1000
E.coli (pathogenic strains)	Not Detected	Detected
Salmonella spp.	Not Detected	Detected

Report Notes:

Landen Nickel
Lab Manager

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500

ilac-MRA

PJLA Testing
Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.

Botanicanna
305 E Business Hwy 151
Suite A
Platteville, WI 53818
License #:
Confident ID: 2611SMIL1491.10653
Metrc Source ID:

SMITHERS

CERTIFICATE OF ANALYSIS

License #: CTL0004

Certificate: IL-39805.1

Residual Solvents

Pass

Sample Analysis

Sample Prep Date: 11/05/2026
Sample Analysis Date: 11/06/2026
Analyzed By: GCMS
SOP: SOP-RS-001

Analyte	LOD (ppm)	LOQ (ppm)	Results (ppm)	Limit (ppm)
Acetone	6.178	12.356	ND	5000
Butane	6.178	12.356	ND	5000
Ethanol	6.178	12.356	ND	5000
Ethyl Acetate	6.178	12.356	ND	5000
Ethyl Ether	6.178	12.356	ND	5000
Ethylene Oxide	1.030	2.059	ND	50
Heptane	6.178	12.356	ND	5000
Hexane	6.178	12.356	ND	290
Isopropyl Alcohol	6.178	12.356	47.789	5000
Methanol	6.178	12.356	ND	3000
Methylene Chloride	6.178	12.356	ND	600
Pentane	6.178	12.356	ND	5000
Petroleum Ether	6.178	12.356	ND	400
Propane	6.178	12.356	ND	5000
Trichloroethylene	6.178	12.356	ND	80
Toluene	6.178	12.356	ND	5000
Xylenes	6.178	12.356	ND	2170

Report Notes:

Landen Nickel
Lab Manager



Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500

ilac-MRA

PJLA Testing
Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.